



The YZ175 is the logical step up for young motocross racers who are ready for a larger displacement machine. And with substantial improvements this year, look forward to a whole new level of performance. Refined carburetion and better cylinder

porting yield more power. Along with rugged six-speed transmission and Torque Induction,

power is there when you need it. Especially at the low end. And C.D.I. ignition lessens spark plug fouling, too.

For better handling the YZ175 has longer travel front forks and new Monocross<sup>®</sup> rear suspension. Add to that a narrow profile-because the exhaust system is tucked out of the way--and lightweight double loop frame. The result is a more comfortable, more controlable motocross machine that you can ride longer without tiring.

If you're looking for a little bigger machine and a lot more performance, look at the YZ175.



**Torque Induction**, Yamaha's unique reed-valve intake system, feeds the engine the exact mixture of fuel and air it needs. The result is more horsepower, particularly at low rpm's.

**C.D.I. ignition** generates a hotter, more even spark and helps lessen spark plug fouling. Gone are the conventional breaker points and all the problems associated with them.

**Six-speed transmission** has a short-throw selector for quick, positive shifts. The close ratio helps keep you close to the peak power band.



**New Monocross® suspension**, the same as used on Yamaha's National and International MX winners, allows 7.1" of rear wheel travel. This longer stroke insures more traction by soaking up bumps and helps keep the rear wheel and power on the ground. Yamaha's exclusive air cushioned front forks soak up sharp jolts without bottoming. Lightweight alloy rims and conical hubs minimize unsprung weight. **Double loop frame** creates a low center of gravity for better balance. For extra comfort and handling ease, the exhaust system is tucked out of the way under the padded saddle.



## YZ175C ENGINE ENGINE Type Displacement Bore and Stroke Compression ratio Maximum torque Carburetion Ignition .2-stroke single 171 cc 66×50 mm 13.96 ft.-lbs. @ 10,000 rpm (1) Mikuni 34 mm C.D.I Lubrication . . Transmission 6-spd. CHASSIS **Overall length** Overall width Overall hei Suspen Front Rear **Brakes** Front rum .Drum

pecifications subject to change without prior notice.

## Someday, you'll own a Yamaha.

A INTERNATIONAL CORPORATION

www.legends-yamaha-onduror.com

, Buena Park, California 90620