



www.legends-yamaha-ardmore.com



YAMAHA 90 **ENDURO**
HT1

**YAMAHA 90
ENDURO**

HT1

It's a better machine



SPECIFICATIONS

PERFORMANCE

Max. speed range 55 mph plus
Climbing ability 25 degrees
Min. turning radius 68.9 in.
Min. braking distance 23.0 ft. @22 mph

ENGINE

Type 2-stroke, 5-port, Single
Displacement 89 cc (5.43 cu. in.)
Bore & Stroke 50 x 45.6 mm
(1.969 x 1.795 in.)

Compression ratio 6.8:1
Max. horsepower 8.5 bhp @7,000 rpm
Max. torque 6.51 ft-lb @6,500 rpm
Lubrication system Autolube
Starting system Primary Kick Starter
Transmission 5-speed gearbox

DIMENSIONS

Overall length 73.8 in.
Overall width 35.4 in.
Overall height 40.7 in.
Wheelbase 48.0 in.
Min. ground clearance 8.9 in.

WEIGHT (Net) 187 lbs.

FUEL TANK CAPACITY 1.7 gal.

OIL TANK CAPACITY 1.3 qt.

TIRES front 2.75-18-4 PR


rear 3.00-18-4 PR

* Specifications subject to change without notice.

www.legends-yamaha-enduros.com

YAMAHA 90 ENDURO HT1

Here's another brand new addition to the world-famous Yamaha Enduro series. This super-lightweight performer has been designed and engineered for rough trail work or for outstanding street performance. Powerful 5-port engine adds to increase in performance. Primary kick starter, dust—and water-proof brakes and sure, ground gripping knobby tires are among the other features of this new member of the Yamaha stable. And, just as on every other Yamaha bike, the HT1 features the exclusive Autolube automatic lubrication which has won the acclaim of cycling fans around the world for convenience, longer engine wear and savings in both gas and oil. This, then, is a model which the Enduro fan won't want to miss riding. Its performance, styling and handling make it a sure winner in its class.



The rough, tough and ready 5-port engine of this new Enduro is engineered to give extra power, extra performance and extra satisfaction both on the trail or in the city's traffic.

Yamaha's exclusive Autolube automatic lubrication system might just be the best thing that's happened to motor-cycles since the wheel was made round. Ends messy mixing, saves fuel and assures longer engine life.

The super-smooth 5-speed gearbox of the HT1 puts you in just the gear you want, with a selection for every riding situation. Fully synchronized for perfect shifts up or down without clashing or missed shifts.

Completely waterproof as well as dust-proof the brakes of this model will bring the HT1 to a safe and sure stop in every weather condition and on any road surface. Tires especially designed for complete traction always.

Several other safety features make Yamaha bikes outstanding. Easy-to-read speedometer mounted in just the right place. Bigger and brighter headlamp and tail light assure extra safety day or night. Plus a big comfortable saddle for pleasure.

www.legends-yamaha-enduros.com



YAMAHA

SINCE 1887

INTERNATIONAL CORPORATION

P.O. Box 54540 Los Angeles, California 90054/Hawaii
Yamaha of Hawaii Inc. 1366 Dillingham Blvd. Honolulu,
Hawaii 96817/Canada: Fred Deely Ltd. 854 West 6th Street
Vancouver 9 British Columbia, Canada