


ENGINEERED

THE PRODUCTS



PACER

CONSOLIDATED INDUSTRIES



We are looking for this full catalog. If you have a copy you would like to sell or

donate scans. Contact Site

www.legends-yamaha-enduros.com

Admin.



...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.

...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.



...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.



...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.

...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.




...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.



...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.

...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.



...the gears are made of a special alloy steel that is heat treated to give them the strength and wear resistance needed for long life. The gears are also precision ground to ensure smooth operation and quiet running. The gears are available in a variety of sizes and configurations to suit different engine applications. For more information, contact us at 1-800-555-1234.

R ENGINES

Dual Valve



Aluminum plug guard against dirt when components are removed from Yamaha Enduros for competition in

cross-country racing. Use standard O-rings from drive cables in engine, front hub. Retain with stock clamps. Tach plug has milled flat. PYAC-107 Tach/Swedo Plug Set, Yamaha



adjustable to Yamaha AT-1 and CT-1 by allowing installation of angle jet/nozzle from 0 to 15. List of 2017 best treated aluminum, with hardware for mounting included. These carburetors are made from the standard model, 4mm or 5/16 inch, to fit 20mm. Carburetors and jets available from Yamaha Home's PYAC-103 Jet/Nozzle Adapter.

COMPETITION CONVERSIONS

New suspension control concept has recirculating system built in to be certain fork fluid remains in area of reservoir rather than aerating around springs. Total assembly includes S&W dual-rate coils, unique damping tube with progressive action for utmost handling control. Tested and used by Patrick/Bowers in professional off-road wins at Mint, Baja classics. Teflon bushings give friction-free action, long life. Users are amazed at new feel of bike in roughest going.



PYDR-113 Fork System
Yamaha OT-1, RT-1,

Complete

PYAC-114 Fork System
Yamaha AT-1, CT-1,

Complete

PXR-302 Fork System
Kawasaki 350,

Complete

FACER's fiberglass gas tanks are in use by active riders all across the U.S. for all types of events. Big 4-gallon tanks are popular for enduros, hare & hound races and cowtrailing. Cross-country tanks are now available in variety of metalflake colors, including "flaked competition stripes." Mounting is by single bolt at top front, elastic cord at rear for quick removal, replacement. Specify color.



PLASTIC



Made of unbreakable B-W Cycloac, three varieties of front fenders suit most applications. Standard low-mount (A) has crisp styling compatible with contemporary road, dirt bikes. For road racers, customs, a similar design in narrow profile (B) is popular. Both styles attach with spiral clamps on

EXHAUST-STING THINGS



3/4" dual stringer covers equipped mufflers for increased clearance over performance after removal of buffer system. Designed, tested for Yamaha 175. Alloy stringer. These hangers have great strength, back again, heat proof, shock resistant front. Necessary for other bikes.

PM40 118 Stringer for AT 1, CT 1
PM28 118 Stringer for AT 1, AT 1



Exhaust chamber exhaust systems are tested method of changing torque characteristics for high or low rpm power. For better torque all carefully designed, tested, proven, high quality, best performance.

- PM81212 High Pipe Torque Yamaha AT 1
- PM81431 Low Pipe Torque Yamaha AT 1
- PM81270 High Pipe Torque Yamaha AT 1
- PM81226A High Pipe No rpm Yamaha AT 1
- PM81434 Low Pipe Torque Yamaha AT 1
- PM81429 High Pipe Torque Yamaha CT 1
- PM81420 Low Pipe Torque Yamaha CT 1
- PM81221 High Pipe Torque Yamaha DT 1
- PM81221A High Pipe No rpm Yamaha DT 1
- PM81421A Low Pipe No rpm Yamaha DT 1
- PM81222 High Pipe Torque Yamaha AT 1
- PM81432 Low Pipe Torque Yamaha AT 1

OIL, FUELS & TOOLS



Feared FE+ lubricants for 2 and 4 stroke motorcycles. Used by speed, distance record holders.
FFE 602 FE+ 2-Cycle Oil (20:1)
FFE 603 FE+ 4-Cycle Oil (40:1)
FFW 604 FE+ Chemical Oil (Oil)



Proven performance for bikes when mixed with gasoline. FE+ fuel additive is used by Ferrari, Suzuki, J. N. Roberts, other top names. Total treats 12-20 gals. FFE 601 FE+ Additive (20:1 total)



Remove adjustment wheel pins with no damage to pattern or bearings using new, universal anastich. Comes with selector to fit from Honda to Chrysler. Minimum weight only.
PM 701 Wheel Pin Puller



Straighten bent wheels on the bike the easy way with universal jack rest. Ideal for fast repairs on field. Comes with spacers to fit WM 1, WM 2, WM 2L, WM 2H, WM 3 steel rims, plus all bent alloy rims - Ax-Horn, Boretti, etc.
PM 704 Wheel Kit, Complete

Bill Brown



PACER'S PLANT & POLICY

PACER CONSOLIDATED INDUSTRIES serves the motorcycle and other recreational vehicle industries from its modern, new \$100,000 facility in the San Gabriel Valley just a few freeway miles east of Los Angeles. Engineers, designers, testers and fabricators of quality products for wheeled sports, they also market and distribute their own lines and similarly-rated goods through a vast, nationwide dealer network. Their personnel are active enthusiasts as well as businessmen, the combination necessary for success in this fast-moving age of applied technology.



PACER
CONSOLIDATED INDUSTRIES
17841 E. Valley Blvd. / City of Industry
California 91745 / Telephone (213) 964-6503