





MOTORCYCLE PRICES

U5 - U5E - U5L - YJ2 STREET MODELS

G5S - YL1 - YL1E - YL2 STREET MODELS

YA6 - YAS1C - AS2C STREET MODELS

YCS1 - YCS1C - YDS3 - DS6C STREET MODELS

YM1 - YR2 - YR2C - R3 STREET MODELS

YGST - LST TRAILMASTER MODELS

AT1 - CT1 - DT1B ENDURO MODELS

YAMAHA RIDER TRAINING PROGRAM and OTHER YAMAHA PRODUCTS

O verall Length: 77.2 in.
O verall Width: 35.8 in.
O verall Width: 35.8 in.
O verall Height: 42.9 in.
Who el Base: 50.6 in.
Min. Ground Clearance: 8.9 in.
Fuel Tank Capacity: 1.9 gal.
Oil Tank Capacity: 1.3 qt.
Tires: Trials Universals
Front: 3.00 - 18 - 4PR
Rear: 3.25 - 18 - 4PR

Overall Length: 77.4 in.
Overall Width: 35.8 in.
Overall Height: 43.1 in.
Wheel Base: 50.6 in.
Min. Ground Clearance: 9.1 in.
Fuel Tank Capacity: 1.9 gal.
Oil Tank Capacity: 1.3 qt.
Tires: Trials Universals
Front: 3.25 - 18 - 4PR
Rear: 3.50 - 18 - 4PR

EEEEE

250 Single Enduro (DT-1B)

FEATURES

The Top of The Enduro Line "Enduro" Front Forks Adjustable Rear Shocks Tapped Head and Plug for Compression Release Separate Speedometer & Tachometer; can be reset for Enduro Racing 5-Speed Transmission 5-Port Power AUTOLUBE Federal Safety Devices are Standard: Safety Reflectors on both sides Big Easy to See Brake Light Tail Light activated by front or rear brake Almost 10 full in. of Ground Clearance Black Upswept Pipe w/Chrome Guard Heavy Duty Engine Guard Trials Universals Tires are Standard Large Non-Slip Seat Forestry Approved Spark Arrester

Waterproof and Dustproof Brakes

Game and Equipment Rack

GYT Kit available as an option**

SPECIFICATIONS

Engine: 5-Port, Single Cylinder

Displacement: 246 cc Max. H.P.: 21 bhp #7,000 rpm 30 bhp @ 7,000 rpm with GYT Kit Speed Range: 70 mph plus Transmission: 5-Speed Starting System: Primary Kick Weight: 232 lbs. Climbing Ability: 35° Lubrication System: AUTOLUBE troke: 2.76 x 2.52 in. Overall Length: 81.1 in. Overall Width 35.0 in. Overall Height: 44.5 in. Wheel Base: 53.6 in. Min. Ground Clearance: 9.6 in. Fuel Tank Capacity: 2.5 gal. Oil Tank Capacity: 1.7 qt. Tires: Trials Universals -Front: 3.25 - 18 - 4PR

Regr: 4.00 - 18 - 4PR

YAMAHA RIDER TRAINING PROGRAM and
OTHER YAMAHA PRODUCTS