

 YAMAHA

YZ 125/250/400



www.legends-yamaha-enduros.com



YZ125

www.legends-yamaha-enduros.com

HEIKKI MIKKOLA 500cc MX V



YZ250



YZ400

www.legends-yamaha-enduros.com

WORLD CHAMPION YAMAHA

SPECIFICATIONS

ENGINE	YZ125	YZ250	YZ400
Type	2-stroke, Single	2-stroke, Single	2-stroke, Single
Displacement	123 cc	246 cc	397 cc
Bore & Stroke	56 × 50 mm	70 × 64 mm	85 × 70 mm
Compression ratio	7.7:1	7.3:1	7.59:1
Max. horsepower	25 bhp @11,000 rpm	36 bhp @8,000 rpm	41.0 bhp @7,500 rpm
Max. torque	1.6 kg-m @10,500 rpm	3.5 kg-m @7,000 rpm	4.05 kg-m @7,000 rpm
Lubrication system	Pre-mix	Pre-mix	Pre-mix
Starting system	Kick starter	Kick starter	Kick starter
Transmission	6 gears	6 gears	5 gears
DIMENSIONS			
Overall length	2,100 mm	2,145 mm	2,145 mm
Overall width	900 mm	910 mm	910 mm
Overall height	1,180 mm	1,180 mm	1,180 mm
Wheelbase	1,420 mm	1,450 mm	1,450 mm
Min. ground clearance	295 mm	290 mm	290 mm
Weight (net)	86 kg	98 kg	103 kg
Fuel tank capacity	5.8 lit	7.8 lit	7.8 lit
Tires front	3.00-21-4PR	3.00-21-4PR	3.00-21-4PR
rear	4.10-18-4PR	4.50-18-4PR	4.50-18-4PR
Brakes front	Drum	Drum	Drum
rear	Drum	Drum	Drum

**Specifications subject to change without notice.*
CARACTERISTIQUES/PERFORMANCES

MOTEUR	YZ125	YZ250	YZ400
Type	Monocylindre, 2-temps	Monocylindre, 2-temps	Monocylindre, 2-temps
Cylindrée	123 cc	246 cc	397 cc
Alésage/Course	56 × 50 mm	70 × 64 mm	85 × 70 mm
Taux de compression	7.7 à 1	7.3 à 1	7.59 à 1
Puissance maximum	25 ch à 11,000 tr/mn	36 ch à 8,000 tr/mn	41.0 ch à 7,500 tr/mn
Couple maximum	1.6 kg-m à 10,500 tr/mn	3.35 kg-m à 7,000 tr/mn	4.05 kg-m à 7,000 tr/mn
Système de lubrification	Mélange Huile/Essence	Mélange Huile/Essence	Mélange Huile/Essence
Mise en route	Kick starter	Kick starter	Kick starter
Transmission	6 pignons	6 pignons	5 pignons
DIMENSIONS			
Longueur H.T.	2,100 mm	2,145 mm	2,145 mm
Largeur H.T.	900 mm	910 mm	910 mm
Hauteur H.T.	1,180 mm	1,180 mm	1,180 mm
Empattement	1,420 mm	1,450 mm	1,450 mm
Garde au sol	295 mm	290 mm	290 mm
Poids (net)	86 kg	98 kg	103 kg
Capacité du réservoir d'essence	5.8 lit	7.8 lit	7.8 lit
Pneu AV	3.00-21-4PR	3.00-21-4PR	3.00-21-4PR
AR	4.10-18-4PR	4.50-18-4PR	4.50-18-4PR
Freins AV	Tambour	Tambour	Tambour
AR	Tambour	Tambour	Tambour

**Caractéristiques pouvant être modifiées sans avis préalable.*
DATI TECNICI

MOTORE	YZ125	YZ250	YZ400
Tipo	Monocilindrico, 2T	Monocilindrico, 2T	Monocilindrico, 2T
Cilindrata	123 cc	246 cc	397 cc
Alesaggio e Corsa	56 × 50 mm	70 × 64 mm	85 × 70 mm
Rapporto compressione	7.7:1	7.3:1	5.9:1
Potenza massima cavalli	25 ps @11,000 gpm	36 ps @8,000 gpm	41 ps @7,500 gpm
Coppia massima	1.6 kg-m @10,500 gpm	3.35 kg-m @7,000 gpm	4.05 kg-m @7,000 gpm
Lubrificazione	Miscelate	Miscelate	Miscelate
Avviamento	Pedale	Pedale	Pedale
Trasmissione	6 ingranaggi	6 ingranaggi	5 ingranaggi
DIMENSIONI			
Lunghezza totale	2,100 mm	2,145 mm	2,145 mm
Larghezza totale	900 mm	910 mm	910 mm
Altezza totale	1,180 mm	1,180 mm	1,180 mm
Interasse	1,420 mm	1,450 mm	1,450 mm
Distanza minima da terra	295 mm	290 mm	290 mm
Peso a vuoto	86 kg	98 kg	103 kg
Capacità serbatoio	5.8 lit	7.8 lit	7.8 lit
Pneumatici ant.	3.00-21-4PR	3.00-21-4PR	3.00-21-4PR
post.	4.10-18-4PR	4.50-18-4PR	4.50-18-4PR
Freni ant.	Tamburo	Tamburo	Tamburo
post.	Tamburo	Tamburo	Tamburo

**Salvo variazioni.*

YAMAHA MOTOR N. V.

 Postbus 7829 PROF. E. M. Meyerlaan 3
 Amstelveen (Amsterdam), Holland